

## Formula Name : Summer Oil-free Moisture Mousse

Lot.No.27-WML-1

(NIKKOL Purephos LC: 0.2%, NIKKOL SG-G2424: 2.5%)

**Confidential** 

NIKKOL GROUP

NIKKO CHEMICALS CO., LTD.

1 - 4 - 8 NIHONBASHI - BAKUROCHO, CHUOKU, TOKYO, 103 - 0002, JAPAN Email: international\_inquiry@nikkol.co.jp

## chemical -navi

https://www.chemical-navi.com/

INCI NAME	TRADE NAME	ROLE/FEATURE	SUPPLIER	wt%
	A			
Water				80.7000
Arginine Hexyldecyl Phosphate	NIKKOL Purephos LC	Foaming agent, Moisturizer	NIKKO CHEMICALS	0.2000
Sodium Methyl Cocoyl Taurate, Water	NIKKOL CMT-30	Foaming agent	NIKKO CHEMICALS	0.5000
Cocamidopropyl Betaine, Water	NIKKOL AM-3130N	Foaming agent	NIKKO CHEMICALS	0.5000
Glycerin		Moisturizer		2.5000
PPG-24-Glycereth-24	NIKKOL SG-G2424	Moisturizer, Penetrant	NIKKO CHEMICALS	2.5000
Sodium Polyaspartate	AminoHydrane PDR	Moisturizer	Barnet Products	1.0000
Hydrolyzed Hyaluronic Acid	Hyalo-Oligo	Moisturizer, Anti-aging	Kewpie	0.1000
Origanum Majorana Leaf Extract, Water,	MARJORAM EXTRACT BG	Moisturizer, Anti-aging,	Maruzen	1.0000
Butylene Glycol	IVIARJURAIVI EXTRACT BG	Anti-skin roughening	Pharmaceuticals	
	В		•	
Butylene Glycol		Moisturizer		10.0000
Phenoxyethanol		Antimicrobial agent		1.0000
			Total	100.0000
	Procedure	e	· · · · ·	
1. Stir A and B separately and dissolve at	room temperature.			
2. Add B into A and mix until uniform.				
Physical Properties		Stability		
		• RT, 45°C, 5°C: Confirmed for 3 months		
		<ul> <li>• 50°C, -5°C, Cycle (-5⇔45°C): Confirmed for 1 month</li> </ul>		

20220714-5

We do not guarantee the stability of the final products of formulations in this brochure though the stability was checked under certain conditions.

We do not guarantee the preservation property of this formulation as we have not checked it.

We do not guarantee that this formulation does not conflict with any patent.

It is users' responsibility to determine the suitability for their own use of the formulation.