

Formula Name: Jelly Eye Shadow (Bronze)

Lot.No.38-JES-712

(ARON AC-1000: 15.0%)


<https://www.chemical-navi.com/>

INCI NAME	TRADE NAME	ROLE/FEATURE	SUPPLIER	wt%
A				
Water				32.8000
Sodium Hydroxide, Water	(10% aq.)	Neutralizer		0.7000
Alcohol		Solvent		5.0000
Phenoxyethanol		Antimicrobial agent		0.5000
B				
Mica, Iron Oxides	KTZ MISTERIOSO BRONZE	Pearl pigment	KOBO Products	20.0000
Synthetic Fluorophlogopite	PDM-10S	Inorganic pigment	TOPY INDUSTRIES	10.0000
C				
(Please contact us)	NIKKOL Nikkomulose SE-WR	Emulsifier	NIKKO CHEMICALS	8.0000
Propanediol		Moisturizer		5.0000
D				
Dimethicone	(6cs)	Emollient agent		3.0000
E				
Acrylates Copolymer, Water, Arginine	ARON AC-1000	Film former	NIKKO CHEMICALS	15.0000
			Total	100.0000
Procedure				
1. Mix A until uniform.				
2. Add B into A and mix until uniform.				
3. Mix C until uniform, then add C into B and mix well.				
4. Add D into A+B+C and mix until uniform.				
5. Add E into A+B+C+D and mix until uniform.				
Physical Properties			Stability	
pH (bulk): 7.5 ~ 8.5			· RT, 45°C, 5°C: Confirmed for 3 months	
Hardness: 40 ~ 50 g			· 50°C, -5°C, Cycle (-5⇄45°C): Confirmed for 1 month	

20230707-1

We do not guarantee the stability of the final products of formulations in this brochure though the stability was checked under certain conditions.

We do not guarantee the preservation property of this formulation as we have not checked it.

We do not guarantee that this formulation does not conflict with any patent.

It is users' responsibility to determine the suitability for their own use of the formulation.