

Formula Name : TRIPLE TRANSFORM BALM

Lot.No.44-CAB-112-1

(SHISO EXTRACT POWDER CS: 1.0%)

NIKKO CHEMICALS CO., LTD. 1 - 4 - 8 NIHONBASHI - BAKUROCHO, CHUOKU, TOKYO, 103 - 0002, JAPAN Email: international_inquiry@nikkol.co.jp

chemical -navi

https://www.chemical-navi.com/

INCI NAME	TRADE NAME	ROLE/FEATURE	SUPPLIER	wt%
	A			
Methylheptyl Laurate	NIKKOL GS-MHL	Emollient agent	NIKKO CHEMICALS	10.0000
Polyglyceryl-6 Laurate	NIKKOL Hexaglyn 1-L	Emulsifier, Dispersant	NIKKO CHEMICALS	14.3000
Polyglyceryl-10 Diisostearate	NIKKOL Decaglyn 2-ISV	Emulsifier	NIKKO CHEMICALS	2.0000
Polyglyceryl-10 Pentaisostearate	NIKKOL Decaglyn 5-ISV	Emulsifier	NIKKO CHEMICALS	3.7000
Myristic Acid	NAA-142	Stabilizer	NOF	0.8000
Methylheptyl Laurate	NIKKOL GS-MHL	Emollient agent	NIKKO CHEMICALS	45.9000
Oryza Sativa (Rice) Bran Wax		Viscosity modifier		10.0000
Dextrin Palmitate		Thickener	NIKKO CHEMICALS	4.0000
Glyceryl Undecylenate	NIKKOL MGU	Antimicrobial agent	NIKKO CHEMICALS	0.4000
	В	•		
Citrus Aurantium Bergamia (Bergamot) Fruit		E		0 2000
Oil		Fragrance		0.2000
Jasminum Officinale (Jasmine) Oil		Fragrance		0.2000
	С		•	
Water				7.5000
Perilla Ocymoides Leaf Extract,Dextrin	SHISO EXTRACT POWDER	Anti-inflammatory, Anti-	Amino Up	1.0000
	CS	skin roughening		
			Total	100.0000
Procedure				
1. Heat A at 90°C or more to dissolve .				
2. Add B to A while mixing A with paddle-mixe	r, and mix until uniform at 90°C	or more.		
3. Add C to A+B while mixing A+B with paddle	-mixer, and mix until uniform a	t 90°C or more.		
4. Fill the bulk into container at 90°C or more, a	and then leave to stand and sol	idify at 5°C.		
Physical Properties		Stability		
		• RT, 45°C, 5°C : Confirmed for 3 months		
		 • 50°C, -5°C, Cycle(-5⇔45°C) : Confirmed for 1 month 		

20210715-8

We do not guarantee the stability of the final products of formulations in this brochure though the stability was checked under certain conditions.

We do not guarantee the preservation property of this formulation as we do have not checked it.

We do not guarantee that this formulation does not conflict with any patent.

It is users' responsibility to determine the suitability for their own use of the formulation.

Confidential

NIKKOL GROUP